

# Medical Casters



## 01 Series

### Description

**Material :** ABS+PU/TPR

**Swivel section :** Precision steel ball

**Installation :** Plate ,thread stem ,Grip ring steam



Forks and wheel core made by High strength, and environment protected ABS material .



PU/TPR material for tire - durability ,ultra-quiet , shock absorbing ,Oil resistant and floor protected .



Nylon material , more durability , convenience and easy operation .

**Application :** All kinds of medical equipment ,furniture ,nursing trolley ...ect



Forks and wheel core made by High strength, and environment protected ABS material .



PU/TPR material for tire - durability ,ultra-quiet , shock absorbing , Oil resistant and floor protected .



Nylon material , more convenience and easy -operation .

**Application :** All kinds of medical equipment ,furniture ,nursing trolley ...ect



1 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
ME01 - 01 - 75PUG	PU	75	47.5	102	70×58	54×42	8.5	60
ME02 - 01 - 100PUG	PU	100	56	125	90×75	60×50 70×55	8.5	100
ME02 - 01 - 125PUG	PU	125	80	155	90×75	60×50 70×55	8.5	130

2 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
ME01 - 01D - 75PUG	PU	75	47.5	102	70×58	54×42	8.5	60
ME02 - 01D - 100PUG	PU	100	56	125	90×75	60×50 70×55	8.5	100
ME02 - 01D - 125PUG	PU	125	80	155	90×75	60×50 70×55	8.5	130

3 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
ME01 - 02 - 75PUG	PU	75	47.5	102	M12×25	60
ME02 - 02 - 100PUG	PU	100	56	122	M12×25	100
ME02 - 02 - 125PUG	PU	125	80	145	M16×25	130

4 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
ME01 - 02D - 75PUG	PU	75	47.5	102	M12×25	60
ME02 - 02D - 100PUG	PU	100	56	122	M12×25	100
ME02 - 02D - 125PUG	PU	125	80	145	M16×25	130

5 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Grip Ring Stem (mm)	Load Capacity (kg)
ME01 - 03 - 75PUG	PU	75	47.5	102	φ22×40	60
ME02 - 03 - 100PUG	PU	100	60	160	φ28×40	100
ME02 - 03 - 125PUG	PU	125	60	185	φ28×40	130

6 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Grip Ring Stem (mm)	Load Capacity (kg)
ME01 - 03D - 75PUG	PU	75	47.5	102	φ22×40	60
ME02 - 03D - 100PUG	PU	100	60	160	φ28×40	100
ME02 - 03D - 125PUG	PU	125	60	185	φ28×40	130

## 03 Series

### Description

**Material :** PP+TPR

**Swivel section :** Precision steel ball

**Installation :** Plate ,thread stem ,Grip ring stem



Forks and wheel core made by High strength, and environment protected ABS material .



PU/TPR material tread - durability ,ultra-quiet , shock absorbing ,Oil resistant and floor protected .



Nylon material , more durability , convenience and easy operation .

**Application :** All kinds of medical equipment ,furniture ,nursing trolley ...ect

### Application



1 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
ME03 - 01 - 75TPRG	TPR	75	58	102	70×58	54×42	8.5	60
ME03 - 01 - 100TPRG	TPR	100	70	127	90×75	65×50	8.5	80

2 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
ME03 - 01D - 75TPRG	TPR	75	58	102	70×58	54×42	8.5	60
ME03 - 01D - 100TPRG	TPR	100	70	127	90×75	65×50	8.5	80

3 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
ME03 - 02 - 75TPRG	TPR	75	58	102	M12×25	60
ME03 - 02 - 100TPRG	TPR	100	70	127	M12×25	80

4 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
ME03 - 02D - 75TPRG	TPR	75	58	102	M12×25	60
ME03 - 02D - 100TPRG	TPR	100	70	127	M12×25	80

5 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Grip Ring Stem (mm)	Load Capacity (kg)
ME03 - 03 - 75TPRG	TPR	75	58	102	∅28×40	60
ME03 - 03 - 100TPRG	TPR	100	70	127	∅28×40	80

6 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Grip Ring Stem (mm)	Load Capacity (kg)
ME03 - 03D - 75TPRG	TPR	75	58	102	∅28×40	60
ME03 - 03D - 100TPRG	TPR	100	70	127	∅28×40	80

## Description

**Material :** PP+TPR

**Swivel section :** ball bearing

**Installation :** Plate ,thread stem ,Grip ring steam

# 04 Series



precision double ball bearings design , flexible rotation, quiet moving and easy operating .



Forks and wheel core made by High strength, and environment protected Nylon material . Bering in side .



PU/TPR material tread - durability , ultra-quiet , shock absorbing , Oil resistant and floor protected .



Nylon material , more durability , convenience and easy operation .

**Application :** All kinds of medical equipment ,furniture ,nursing trolley ...ect

## Application



1 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
ME04 - 01 - 75TPRG	TPR	75	52	94	70×58	55×44	8.5	70
ME04 - 01 - 100TPRG	TPR	100	68	126	84×75	70×55	8.5	90

2 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
ME04 - 01D - 75TPRG	TPR	75	52	94	70×58	55×44	8.5	70
ME04 - 01D - 100TPRG	TPR	100	68	126	84×75	70×55	8.5	90

3 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
ME04 - 02 - 75TPRG	TPR	75	52	90	M12×25	70
ME04 - 02 - 100TPRG	TPR	100	68	121	M12×25	90

4 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
ME04 - 02D - 75TPRG	TPR	75	52	90	M12×25	70
ME04 - 02D - 100TPRG	TPR	100	68	121	M12×25	90

5 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Grip Ring Stem (mm)	Load Capacity (kg)
ME04 - 03 - 75TPRG	TPR	75	52	90	∅11×25	70
ME04 - 03 - 100TPRG	TPR	100	68	121	∅11×25	90

6 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Grip Ring Stem (mm)	Load Capacity (kg)
ME04 - 03D - 75TPRG	TPR	75	52	90	∅11×25	70
ME04 - 03D - 100TPRG	TPR	100	68	121	∅11×25	90

## 05 Series

### Description

**Material :** PP+TPR

**Swivel section :** Precision steel ball

**Installation :** Plate ,thread stem ,Grip ring steam, hollow steam



Steel with precision ball :  
Forks made by steel with precision steel ball .



A- with cover : more strong out frame ,  
B-W/O cover : with chrome finishing .



Nylon material , more durability , convenience and easy operation .

**Application :** All kinds of medical equipment ,furniture ,nursing trolley ...ect

### Application



1 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
ME05 - 01 - 50TPR-G	PP+TPR	50	18	70	54×54	38×38	8.5	40
ME05 - 01 - 75TPR-G	PP+TPR	75	23	103	60×60	40×40	8.5	50
ME05 - 01 - 100TPR-G	PP+TPR	100	25	124	60×60	40×40	8.5	65

2 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
ME05 - 01D - 50TPR-G	PP+TPR	50	18	70	54×54	38×38	8.5	40
ME05 - 01D - 75TPR-G	PP+TPR	75	23	103	60×60	40×40	8.5	50
ME05 - 01D - 100TPR-G	PP+TPR	100	25	124	60×60	40×40	8.5	65

3 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
ME05-02-50TPR-G	PP+TPR	50	18	70	M10×25	40
ME05-02-75TPR-G	PP+TPR	75	21	103	M10×25	50
ME05-02-100TPR-G	PP+TPR	100	25	124	M12×25	65

4 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
ME05-02D-50TPR-G	PP+TPR	50	18	70	M10×25	40
ME05-02D-75TPR-G	PP+TPR	75	21	103	M10×25	50
ME05-02D-100TPR-G	PP+TPR	100	25	124	M12×25	65

5 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
ME05-03-50TPR-G	PP+TPR	50	18	70	25×22	40
ME05-03-75TPR-G	PP+TPR	75	21	103	25×22	50
ME05-03-100TPR-G	PP+TPR	100	25	124	25×22	65

6 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
ME05-03D-50TPR-G	PP+TPR	50	18	70	25×22	40
ME05-03D-75TPR-G	PP+TPR	75	21	103	25×22	50
ME05-03D-100TPR-G	PP+TPR	100	25	124	25×22	65

## Description

**Material :** PP+PU

**Swivel section :** ball bearing

**Installation :** Plate ,thread stem ,Grip ring steam, hollow steam

# 06 Series

- precision double ball bearings design , flexible rotation, quiet moving and easy operating
- Forks made by steel , w/wo ABS cover
- PU/TPR material tread - durability , ultra-quiet , shock absorbing ,Oil resistant and floor protected .
- Nylon material , more durability , convenience and easy operation .



**Application :** All kinds of medical equipment ,furniture ,nursing trolley ...ect

## Application



1 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
ME06-01-75PU-G	PU	75	32	110	95×63	75×45	8.5	70
ME06-01-75PU-GN	PU	75	32	110	95×63	75×45	8.5	70

2 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
ME06-01D-75PU-G	PU	75	32	110	95×63	75×45	8.5	70
ME06-01D-75PU-GN	PU	75	32	110	95×63	75×45	8.5	70

3 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
ME06-02-75PU-G	PU	75	32	110	M12×25	70
ME06-02-75PU-GN	PU	75	32	110	M12×25	70

4 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
ME06-02D-75PU-G	PU	75	32	110	M12×25	70
ME06-02D-75PU-GN	PU	75	32	110	M12×25	70

## Description

**Material :** PP+PU/TPR

**Swivel section :** ball bearing /precision steel ball

**Installation :** Plate ,thread stem ,Grip ring steam



precision ball bearings design , flexible rotation, quiet moving and easy operating



Forks made by steel , w/wo ABS cover



PU/TPR material tread - durability ,ultra-quiet , shock absorbing ,Oil resistant and floor protected .



Nylon material , more durability , convenience and easy operation .

**Application :** All kinds of hospital bed ,furniture ,nursing trolley ...ect

## Application



# B01 Series



1 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
HB01 - 01 - 100TPR - G	TPR	100	32	133	95×63	75×45	8.5	100
HB01 - 01 - 125TPR - G	TPR	125	32	158	95×63	75×45	8.5	120

2 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
HB01 - 01D - 100TPR - G	TPR	100	32	133	95×63	75×45	8.5	100
HB01 - 01D - 125TPR - G	TPR	125	32	158	95×63	75×45	8.5	120

3 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
HB01 - 02 - 100TPR - G	TPR	100	32	133	M12×25	100
HB01 - 02 - 125TPR - G	TPR	125	32	158	M16×30	120

4 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
HB01 - 02D - 100TPR - G	TPR	100	32	133	M12×25	100
HB01 - 02D - 125TPR - G	TPR	125	32	158	M16×30	120

5 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Grip Ring Stem (mm)	Load Capacity (kg)
HB01 - 03 - 100TPR - G	TPR	100	32	133	∅ 28×40	100
HB01 - 03 - 125TPR - G	TPR	125	32	158	∅ 28×40	120

6 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Grip Ring Stem (mm)	Load Capacity (kg)
HB01 - 03D - 100TPR - G	TPR	100	32	133	∅ 28×40	100
HB01 - 03D - 125TPR - G	TPR	125	32	158	∅ 28×40	120

## Description

**Material :** PP+PU/TPR

**Swivel section :** ball bearing /precision steel ball

**Installation :** Plate ,thread stem ,Grip ring steam



precision ball bearings design , flexible rotation, quiet moving and easy operating .



Steel with precision ball : Forks made by steel with precision steel ball .



PU/TPR material tread - durability ,ultra-quiet , shock absorbing ,Oil resistant and floor protected .



Nylon / metal material , more durability , convenience and easy operation .

**Application :** All kinds of hospital bed ,furniture ,nursing trolley ...ect

## Application



# B02 Series



1 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
HB02 - 01 - 100PU - G	PP+PU	100	32	133	95×63	75×45	8.5	80
HB02 - 01 - 125PU - G	PP+PU	125	32	155	95×63	75×45	8.5	120
HB02 - 01 - 150TPR - G	PP+TPR	150	30	182	95×63	75×45	8.5	140

2 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
HB02 - 01D - 100PU - G	PP+PU	100	32	133	95×63	75×45	8.5	80
HB02 - 01D - 125PU - G	PP+PU	125	32	155	95×63	75×45	8.5	120
HB02 - 01D - 150TPR - G	PP+TPR	150	30	182	95×63	75×45	8.5	140

3 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
HB02 - 02 - 100PU - G	PP+PU	100	32	133	M12×30	80
HB02 - 02 - 125PU - G	PP+PU	125	32	155	M16×30	120
HB02 - 02 - 150TPR - G	PP+TPR	150	30	182	M16×30	140

4 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
HB02 - 02D - 100PU - G	PP+PU	100	32	133	M12×30	80
HB02 - 02D - 125PU - G	PP+PU	125	32	155	M16×30	120
H02 - 02A - 150TPR - G	PP+TPR	150	30	182	M16×30	140

5 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Grip Ring Stem (mm)	Load Capacity (kg)
HB02 - 03 - 100PU - G	PP+PU	100	32	133	∅ 28×40	80
HB02 - 03 - 125PU - G	PP+PU	125	32	155	∅ 28×40	120
HB02 - 03 - 150TPR - G	PP+TPR	150	30	182	∅ 28×40	140

6 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Grip Ring Stem (mm)	Load Capacity (kg)
HB02 - 03D - 100PU - G	PP+PU	100	32	133	∅ 28×40	80
HB02 - 03D - 125PU - G	PP+PU	125	32	155	∅ 28×40	120
HB02 - 03A - 150TPR - G	PP+TPR	150	30	182	∅ 28×40	140



## Description

**Material :** Nylon forks , PP + TPR wheels

**Swivel section :** ball bearing

**Installation :** Plate ,thread stem ,Grip ring steam



precision ball bearings design , flexible rotation , quiet moving and easy operating .



Nylon material with precision ball bearing rotation .



TPR material tread - durability , ultra-quiet , shock absorbing , Oil resistant and floor protected .



Nylon material , more durability , convenience and easy operation .

**Application :** All kinds of hospital bed ,furniture ,nursing trolley ...ect

## Application



# B03 Series



1 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
HB03 - 01 - 75TPR - G	TPR	75	32	123	93×64	74.5×45	8.5	70
HB03 - 01 - 100TPR - G	TPR	100	32	138	93×64	74.5×45	8.5	85
HB03 - 01 - 125TPR - G	TPR	125	32	165	93×64	74.5×45	8.5	105

2 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
HB03 - 01D - 75TPR - G	TPR	75	32	123	93×64	74.5×45	8.5	70
HB03 - 01D - 100TPR - G	TPR	100	32	138	93×64	74.5×45	8.5	85
HB03 - 01A - 125TPR - G	TPR	125	32	165	93×64	74.5×45	8.5	105

3 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
HB03 - 02 - 75TPR - G	TPR	75	32	123	M12×25	70
HB03 - 02 - 100TPR - G	TPR	100	32	138	M12×25	85
HB03 - 02 - 125TPR - G	TPR	125	32	165	M16×30	105

4 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
HB03 - 02D - 75TPR - G	TPR	75	32	123	M12×25	70
HB03 - 02D - 100TPR - G	TPR	100	32	138	M12×25	85
HB03 - 02A - 125TPR - G	TPR	125	32	165	M16×30	105

5 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Grip Ring Stem (mm)	Load Capacity (kg)
HB03 - 03 - 75TPR - G	TPR	75	32	123	∅28×40	70
HB03 - 03 - 100TPR - G	TPR	100	32	138	∅28×40	85
HB03 - 03 - 125TPR - G	TPR	125	32	165	∅28×40	105

6 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Grip Ring Stem (mm)	Load Capacity (kg)
HB03 - 03D - 75TPR - G	TPR	75	32	123	∅28×40	70
HB03 - 03D - 100TPR - G	TPR	100	32	138	∅28×40	85
HB03 - 03A - 125TPR - G	TPR	125	32	165	∅28×40	105

## Description

**Material :** Nylon forks , PP + TPR wheels

**Swivel section :** ball bearing

**Installation :** Plate ,thread stem ,Grip ring steam

# B04 Series



precision ball bearings design , flexible rotation , quiet moving and easy operating .



Nylon material with precision ball bearing rotation .



TPR material tread - durability , ultra-quiet , shock absorbing , Oil resistant and floor protected .



Nylon material , more durability , convenience and easy operation .

**Application :** All kinds of hospital bed ,furniture ,nursing trolley , Alternative for some stainless steel products

## Application



1 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
HB04 - 01 - 100TPR - G	TPR	100	32	138	93×64	74.5×45	8.5	85
HB04 - 01 - 125TPR - G	TPR	125	32	165	93×64	74.5×45	8.5	105

2 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Plate Size (mm)	Plate Size (mm)	Hole Size (mm)	Load Capacity (kg)
HB04 - 01D - 100TPR - G	TPR	100	32	138	93×64	74.5×45	8.5	85
HB04 - 01A - 125TPR - G	TPR	125	32	165	93×64	74.5×45	8.5	105

3 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
HB04 - 02 - 100TPR - G	TPR	100	32	138	M12×25	85
HB04 - 02 - 125TPR - G	TPR	125	32	165	M16×30	105

4 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Thread Height (mm)	Load Capacity (kg)
HB04 - 02D - 100TPR - G	TPR	100	32	138	M12×25	85
HB04 - 02A - 125TPR - G	TPR	125	32	165	M16×30	105

5 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Grip Ring Stem (mm)	Load Capacity (kg)
HB04 - 03 - 100TPR - G	TPR	100	32	138	∅ 28×40	85
HB04 - 03 - 125TPR - G	TPR	125	32	165	∅ 28×40	105

6 NO. Model	Wheel Material	Wheel Dia (mm)	Tread Width (mm)	Load Height (mm)	Grip Ring Stem (mm)	Load Capacity (kg)
HB04 - 03D - 100TPR - G	TPR	100	32	138	∅ 28×40	85
HB04 - 03A - 125TPR - G	TPR	125	32	165	∅ 28×40	105

Mail: [info@bullcaster.com](mailto:info@bullcaster.com)

Tel: +86 15813668894

WhatsApp: +86 15813668894

Wechat: 15813668894

Website: [bullcaster.com](http://bullcaster.com)

Add: Building 15, Fenjiang Road, Foshan City, China

